



VIDEO INSIDE

FANTASTIC ROLL CARPET TERMURAH



INDEX

PG	NAME	THICKNESS	SIZE (LEBAR X PANJANG)	WARRANTY
7-8	JAWA LOOP PILE	3 - 5MM	13.12 FT X 131 FT	3 YEARS
9-10	IMPERIAL	3.5 - 5.5MM	13.12 FT X 131 FT	5 YEARS
11-12	KEystone	7 -9MM	13.12 FT X 98 FT	10 YEARS
13-15	VELOCITY	7 -9MM	13.12 FT X 114 FT	10 YEARS
16-18	SAPPHIRE	6 - 8MM	13.12 FT X 82 FT	10 YEARS
19-20	INTERNET	7 - 9MM	13.12 FT X 83 FT	10 YEARS
21-23	RAILWAY	6 - 8MM	13.12 FT X 131 FT	10 YEARS
24-26	HIGHWAY	6.5 - 8.5MM	13.12 FT X 131 FT	10 YEARS
27-29	STRIKE	4 - 5MM	13.12 FT X 82 FT	10 YEARS
30-31	NEWYORK	7 -9MM	13.12 FT X 98 FT	10 YEARS
32-33	EDINBURGH	7 -9MM	13.12 FT X 82 FT	10 YEARS
34-35	SPRING	7 -9MM	13.12 FT X 83 FT	10 YEARS
36-37	WASHINGTON	7 -9MM	13.12 FT X 83 FT	10 YEARS
38-39	FLORA	3 - 6MM	13.12 FT X 82 FT	10 YEARS
40-42	EMPEROR	5.5 - 7.5MM	13.12 FT X 114 FT	10 YEARS

43-44	SWIRL	3 - 6MM	13.12 FT X 83 FT	10 YEARS
45-46	ORACLE	3 - 6MM	13.12 FT X 83 FT	10 YEARS
47-49	FLORENCE	5 - 7MM	13.12 FT X 114 FT	10 YEARS
50-53	LOTUS	5 - 7MM	13.12 FT X 98 FT	10 YEARS
54	CHEROKEE	12 MM	12 FT X 98 FT	10 YEARS
55	CHIPOTLE	12 MM	12 FT X 98 FT	10 YEARS
56	DALLAS	12 MM	12 FT X 98 FT	10 YEARS
57	DOMINO CHECKS	12 MM	12 FT X 98 FT	10 YEARS
58	DOMINO DICE	12 MM	12 FT X 98 FT	10 YEARS
59	MEMPHIS	12 MM	12 FT X 98 FT	10 YEARS
60	MIRRAGE	12 MM	12 FT X 98 FT	10 YEARS
61	PALLADIO	12 MM	12 FT X 98 FT	10 YEARS
62-63	NEON	7 - 9MM	13.12 FT X 131 FT	10 YEARS
64-66	SPLENDOR	4 - 6MM	13.12 FT X 114 FT	10 YEARS
67-70	MAGENTA	5 - 7MM	13.12 FT X 114 FT	10 YEARS
71-74	HAMMER	4 - 6MM	13.12 FT X 114 FT	10 YEARS

75-78	ATRIUM	4 - 6MM	13.12 FT X 131 FT	10 YEARS
79-82	CRISS CROSS	4 - 6MM	13.12 FT X 98 FT	10 YEARS
83-86	CAPRICE	4 - 6MM	13.12 FT X 114 FT	10 YEARS
87-90	SPRING 2.0	4 - 6MM	13.12 FT X 114 FT	10 YEARS
91-94	LIFE	4 - 6MM	13.12 FT X 98 FT	10 YEARS
95-96	GARDEN	10 - 12MM	13.12 FT X 98 FT	10 YEARS
97-98	EMOTION	10 - 12MM	13.12 FT X 83 FT	10 YEARS
99-100	CIRCLES	10 - 12MM	13.12 FT X 98 FT	10 YEARS
101-102	HOTEL	10 - 12MM	13.12 FT X 98 FT	10 YEARS
103-104	LUXURY	10 - 12MM	13.12 FT X 98 FT	10 YEARS
105-107	COPPER HILL	6 - 8MM	13.12 FT X 98 FT	10 YEARS
108-118	FANTASIA	4 - 6MM	13.12 FT X 114 FT	10 YEARS
119-132	ROYAL BLOOM	10 MM	13.12 FT X 92 FT	10 YEARS
133-135	MONACO	13 MM	13.12 FT X 98 FT	10 YEARS
136-137	VIP RUNNER SPEC "JKR"	10 MM	3FT X 20FT	10 YEARS
			4FT X 30FT	10 YEARS



ROLL CARPET

PREMIUM QUALITY, THE
CHEAPEST IN MALAYSIA



ABRASION
RESISTANCE



FLAME
RETARDANT



STAIN
RESISTANT



WATERPROOF



VARIETY OF
DESIGN
OPTIONS

JAWA



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 0.99 / sqft

HARGA SIAP PASANG

RM 1.99 / sqft

>500sqft & above



KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : ACTION BACKING
- GAUGE : 1/8 "
- KETEBALAN : 3 - 5 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : 100% BCF DURALEX OLEFIN
- TUFT DENSITY : +/-94500/M²
- CONSTRUCTION : LOOP PILE
- CARPET WEIGHT : ca.33 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
 EN 1307, EN 1407, EN 13297
 EN 1963, PREN 15114, EN 14215



Flammability
 ASTM D-2859-96
 & CPSC FF -170



Staining Resistance
 AATCC 175-1993



Abrasion Resistance
 EN 13329, EN 660-1
 EN 660-2



Light Fastness
 AATCC 16E



Electrical Behaviour
 EN 14041, EN 1815
 EN 6356



JW 001



JW 002



JW 003



JW 004



JW 005



JW 006



JW 007



JW 008

3 - 5 MM







JAWA

[CLICK HERE TO WATCH VIDEO](#)

LOOP PILE SCROLL



JW 001



JW 002



JW 003



JW 004



JW 005



JW 006



JW 007



JW 008



IMPERIAL



WARRANTY PRIMA



[CLICK HERE TO WATCH VIDEO](#)

KARPET ROLL

HARGA DIRECT KILANG

RM 1.29 / sqft

HARGA SIAP PASANG

RM 2.29 / sqft

>500sqft & above



IM 8613



IM 8682



IM 8659



IM 8611



IM 8646



IM 8667



IM 8676




IM 8630

KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : WOVEN POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 3.5 - 5.5 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : STRUDON POLYPROPYLENE BCF
- CONSTRUCTION : LEVEL LOOP
- CARPET WEIGHT : 425 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0

Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170



Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356

3.5 - 5.5 MM ↑↓





IMPERIAL

SERIES

[CLICK HERE TO WATCH VIDEO](#)



IM 8613



IM 8682



IM 8659



IM 8611



IM 8646



IM 8667



IM 8676



IM 8630

KEYSTONE



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.48 / sqft

HARGA SIAP PASANG

RM 2.48 / sqft

>500sqft & above

[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : WOVEN POLYPROPYLENE
- MACHINE GAUGE : 1 / 10"
- KETEBALAN : 7 - 9 MM
- KESESUAIAN : COMMERCIAL
- FIBRE : 100% BCF POLYPROPYLENE
- CONSTRUCTION : TEXTURERD GRAPHIC LOOP
- CARPET WEIGHT : 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170



Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



803 - RED



804 - GREEN



805 - BROWN



KEYSTONE

SERIES

[CLICK HERE TO WATCH VIDEO](#)



803 - RED



804 - GREEN



805 - BROWN

VELOCITY



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.48 / sqft

HARGA SIAP PASANG

RM 2.48 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: ACTION BACKING
MACHINE GAUGE	: 1 / 10"
TUFT DENSITY	: +/- 181 240 / M ²
KETEBALAN	: 7 - 9 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF DURALAX OLEFIN
CONSTRUCTION	: LOOP PILE GRAPHIC
CARPET WEIGHT	: 45 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2




**Light
Fastness**

AATCC 16E




**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



VC 001




VC 002



VC 003



VC 004



VC 005



VELOCITY

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



VC 001




VC 002



VELOCITY

SERIES


[CLICK HERE
TO WATCH VIDEO](#)



VC 003



VC 004



VC 005

SAPPHIRE



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.48 / sqft

HARGA SIAP PASANG

RM 2.48 / sqft

>500sqft & above

[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR : 4 M
BACKING : ACTION BACKING
MACHINE GAUGE : 1 / 10"
TUFT DENSITY : +/- 169 850 / M²
KETEBALAN : 6 - 8 MM
KESesuaIAN : DOMESTIC / COMMERCIAL
FIBRE : 100% BCF DURALAX OLEFIN
CONSTRUCTION : LOOP PILE GRAPHIC
CARPET WEIGHT : 43 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E




Electrical Behaviour
EN 14041, EN 1815
EN 6356



SA001




SA002



SA003



SA004



SA005



SA006



SA007




SAPPHIRE

SERIES


[CLICK HERE TO WATCH VIDEO](#)




SA001



SA002



SA003



SA004



SAPPHIRE

SERIES

[CLICK HERE TO WATCH VIDEO](#)



SA005



SA006



SA007

INTERNET



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.48 / sqft

HARGA SIAP PASANG

RM 2.48 / sqft

>500sqft & above


[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR : 4 M
BACKING : WOVEN POLYPROPYLENE
MACHINE GAUGE : 1 / 8"
KETEBALAN : 7 -9 MM
KESESUAIAN : DOMESTIC / COMMERCIAL
FIBRE : 100% BCF POLYPROPYLENE
CONSTRUCTION : TEXTURED GRAPHIC LOOP
CARPET WEIGHT : 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0




801 - RED



802 - TURQUIOSE



8011 - RED




8022 - NAVY



INTERNET

SERIES


 [CLICK HERE TO WATCH VIDEO](#)



801 - RED



802 - TURQUIOSE



8022 - NAVY



8011 - RED

RAILWAY



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.48 / sqft

HARGA SIAP PASANG

RM 2.48 / sqft

>500sqft & above



KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : ACTION BACKING
- MACHINE GAUGE : 1 / 10"
- TUFT DENSITY : +/- 169 850 / M²
- KETEBALAN : 6 - 8 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : 100% BCF DURALAX OLEFIN
- CONSTRUCTION : LOOP PILE GRAPHIC
- CARPET WEIGHT : 43 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



RW001




RW002



RW003



RW004



RW005



RW006



RW007



RAILWAY

SERIES

[CLICK HERE TO WATCH VIDEO](#)



RW001



RW002



RW003



RW004



RAILWAY

SERIES

[CLICK HERE TO WATCH VIDEO](#)



RW005



RW006



RW007

HIGHWAY



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.58 / sqft

HARGA SIAP PASANG

RM 2.58 / sqft

>500sqft & above



KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : ACTION BACKING
- GAUGE : 1/10 "
- KETEBALAN : 6.5 - 8.5 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : 100% BCF DURALEX OLEFIN
- TUFT DENSITY : +/-169 850 /M²
- CONSTRUCTION : LOOP PILE GRAPHIC
- CARPET WEIGHT : ca.43 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



HW001



HW002



HW003



HW004



HW005



HW006



HW007



HW008




HIGHWAY

SERIES

[CLICK HERE TO WATCH VIDEO](#)



HW001



HW002



HW003



HW004



HIGHWAY

SERIES

[CLICK HERE TO WATCH VIDEO](#)




HW005



HW006



HW007



HW008

STRIKE



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.58 / sqft

HARGA SIAP PASANG

RM 2.58 / sqft

>500sqft & above

[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : ACTION BACKING
- MACHINE GAUGE : 5 / 32"
- KETEBALAN : 4 - 5 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : 100% BCF DURALEX OLEFIN
- CONSTRUCTION : LOOP PILE GRAPHIC
- CARPET WEIGHT : 45 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, FREN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170



Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



ST001



ST002



ST003



STRIKE

[CLICK HERE
TO WATCH VIDEO](#)

SERIES



ST001



STRIKE

SERIES

[CLICK HERE TO WATCH VIDEO](#)



ST002



ST003

NEW YORK



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above

[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : WOVEN POLYPROPYLENE
- MACHINE GAUGE : 1 / 10"
- KETEBALAN : 7 - 9 MM
- KESESUAIAN : COMMERCIAL
- FIBRE : 100% BCF POLYPROPYLENE
- CONSTRUCTION : TEXTURE GRAPHIC LOOP
- DESIGN REPEAT : 36.5CM * 65CM (862 AND 863)
36.5CM * 45CM (871 AND 872)
- CARPET WEIGHT : 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use

EN1307, EN 1407, EN13297
EN1963, PREN15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170



Staining Resistance

AATCC 175-1993



Abrasion Resistance

EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour

EN 14041, EN 1815
EN 6356



871 - GOLD



872 - KHAKHI



862 - IVORY



863 - RED



NEW YORK

SERIES

[CLICK HERE TO WATCH VIDEO](#)




862 - IVORY



863 - RED



871- GOLD



872 - KHAKE

EDINBURGH



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : WOVEN POLYPROPYLENE
- MACHINE GAUGE : 1 / 10"
- KETEBALAN : 7 - 9 MM
- KESESUAIAN : COMMERCIAL
- FIBRE : 100% BCF POLYPROPYLENE
- CONSTRUCTION : TEXTURE GRAPHIC LOOP
- CARPET WEIGHT : 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



7215 - CAMEL



7225 - CAMEL



7235 - CAMEL



EDINBURGH

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



7215-CAMEL



7225-CAMEL



7235-CAMEL

SPRING



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above

[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : WOVEN POLYPROPYLENE
- MACHINE GAUGE : 1 / 10"
- KETEBALAN : 7 - 9 MM
- KESESUAIAN : COMMERCIAL
- FIBRE : 100% BCF POLYPROPYLENE
- CONSTRUCTION : TEXTURE GRAPHIC LOOP
- DESIGN REPEAT : 36.5CM * 70CM
- CARPET WEIGHT : 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993




Abrasion Resistance
EN 13329, EN 660-1
EN 660-2




Light Fastness
AATCC 16E




Electrical Behaviour
EN 14041, EN 1815
EN 6356



821 - CREAM



822 - KHAKHI



823 - RED



SPRING

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



821 - CREAM



822 - KHAKHI



823 - RED

WASHINGTON



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : WOVEN POLYPROPYLENE
- MACHINE GAUGE : 1 / 10"
- KETEBALAN : 7 - 9 MM
- KESESUAIAN : COMMERCIAL
- FIBRE : 100% BCF POLYPROPYLENE
- CONSTRUCTION : TEXTURE GRAPHIC LOOP
- DESIGN REPEAT : 36.5CM * 49.5CM
- CARPET WEIGHT : 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN1307, EN1407, EN13297
EN1963, PR EN15114, EN14215




Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



811 - GOLD



812 - KHAKHI



813 - RED



WASHINGTON

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



811-GOLD



812-KHAKHI



813-RED

FLORA



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

- LEBAR : 3.6 M
- BACKING : ACTION BACKING
- MACHINE GAUGE : 1 / 10"
- KETEBALAN : 3 - 6 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : 100% BCF SOLUTION DYED SYNTHETIC
- CONSTRUCTION : LOOP PILE GRAPHICS
- CARPET WEIGHT : 50 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356




101 - GOLDEN TAN



102 - DARK BEIGE



103 - TERRACOTTA



104 - DUSTY BROWN



FLORA

SERIES


[CLICK HERE
TO WATCH VIDEO](#)



101 - GOLDEN TAN



102 - DARK BEIGE



103 - TERRACOTTA



104 - DUSTY BROWN

EMPEROR



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above

[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : WOVE POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 5.5 - 7.5 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : STRUDON POLYPROPYLENE BCF
- CONSTRUCTION : LEVEL LOOP
- CARPET WEIGHT : 700 Gr / M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



EO 820



EO 824



EO 830



EO 880



EO 910



EO 814



EO 802



EO 900



EO 890

5.5 - 7.5 MM





EMPEROR

SERIES



QUALITY SAMPLE



EO 890



EO 802



EO 900



EMPEROR

SERIES

[CLICK HERE TO WATCH VIDEO](#)



EO 820



EO 824



EO 830



EO 880



EO 910



EO 814

SWIRL



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 3.6 M
BACKING	: ACTION BACKING
MACHINE GAUGE	: 1 / 10"
KETEBALAN	: 3 - 6 MM
KESESUAIAN	: COMMERCIAL
FIBRE	: 100% BCF SOLUTION DYED SYNTHETIC
CONSTRUCTION	: 1/10" TUFTED LOOP PILE GRAPHICS
CARPET WEIGHT	: 50 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170



**Staining
Resistance**
AATCC 175-1993




**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



301 - LIGHT OAK



302 - LAVA ROCK



303 - MARINE BLUE




304 - DAWN GREY



SWIRL

SERIES

[CLICK HERE TO WATCH VIDEO](#)



301 - LIGHT OAK



302 - LAVA ROCK



303 - MARINE BLUE



304 - DAWN GREY

ORACLE



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

- LEBAR : 3.6 M
- BACKING : ACTION BACKING
- STITCHES : 41 PER 10CM
- KETEBALAN : 3 -6 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : 100% BCF SOLUTION DYED SYNTHETIC
- CONSTRUCTION : 1/10" TUFETED LOOP PILE GRAPHICS
- CARPET WEIGHT : 50 OZ/Y²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170



Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2




Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



201 - MYSTIC BLUE



202 - SMOKEY GREY



203 - LUSH RED



204 - FIRE BRICK



205 - STYLISH SILVER



206 - AMBER OLIVE



ORACLE

SERIES

[CLICK HERE TO WATCH VIDEO](#)



201 - MYSTIC BLUE



202 - SMOKEY GREY



203 - LUSH RED



204 - FIRE BRICK



205 - STYLISH SILVER



206 - AMBER OLIVE

FLORENCE



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : WOVE POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 5 -7 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : STRUDON POLYPROPYLENE BCF
- CONSTRUCTION : HI-LOW GRAPHIC
- CARPET WEIGHT : 750 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170



Staining Resistance
AATCC 175-1993




Abrasion Resistance
EN 13329, EN 660-1
EN 660-2




Light Fastness
AATCC 16E




Electrical Behaviour
EN 14041, EN 1815
EN 6356




FL 1



FL 2



FL 3



FL 7



FL 10



FLORENCE

SERIES

 [CLICK HERE
TO WATCH VIDEO](#)



FL 10



FLORENCE

SERIES

[CLICK HERE TO WATCH VIDEO](#)



FL 1



FL 2



FL 3



FL 7

LOTUS



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 5 -7 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: STRUDON POLYPROPYLENE BCF
CONSTRUCTION	: GRAPHIC LOOP PILE
CARPET WEIGHT	: 675 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



L2 442 BISQUE BEIGE



L2 447 SALMON BROWN



L2 448 BARK BROWN



L2 444 BLUE BEETLE



L2 449 COAL BLACK



LOTUS

SERIES



L2 442 BISQUE BEIGE



L2 447 SALMON BROWN



LOTUS

SERIES



L2 448 BARK BROWN



LOTUS

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



L2 444 BLUE BEETLE



L2 449 COAL BLACK

3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)

WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above

[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

- LEBAR : 3.66 METER (12 FT)
- BACKING : WOVEN POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 10 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : CAMIFIN CABLED
POLYPROPYLENE BCF
- CONSTRUCTION : 1/12"MULTI LEVEL SCROLL
- CARPET WEIGHT : 2000 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN1307, EN1407, EN13297
EN1963, PR EN15114, EN14215



Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356

CHEROKEE



649 - ALMOND FROST



657 - BLUE KNIGHT



679 - TANGLE GREY



3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)

WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above


[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

- LEBAR : 3.66 METER (12 FT)
- BACKING : WOVEN POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 10 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : CAMIFIN CABLED
POLYPROPYLENE BCF
- CONSTRUCTION : 1/12" MULTI LEVEL SCROLL
- CARPET WEIGHT : 2000 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170



Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356

CHIPOTLE



649 - DORADO WAVE



643 - WILD BROWN



679 - GREY PORCELAIN

3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)

WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above


[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

- LEBAR : 3.66 METER (12 FT)
- BACKING : WOVEN POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 10 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : CAMIFIN CABLED
POLYPROPYLENE BCF
- CONSTRUCTION : 1/12" MULTI LEVEL SCROLL
- CARPET WEIGHT : 2000 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170



Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E




Electrical Behaviour
EN 14041, EN 1815
EN 6356

DALLAS



675 - CHARCOAL DIAMOND



677 - SMOKED PEARL



696 - GRANITE

3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)

WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

- LEBAR : 3.66 METER (12 FT)
- BACKING : WOVEN POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 10 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : CAMIFIN CABLED
POLYPROPYLENE BCF
- CONSTRUCTION : 1/12"MULTI LEVEL SCROLL
- CARPET WEIGHT : 2000 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN1307, EN1407, EN13297
EN1963, PR EN15114, EN14215



Flammability
ASTM D-2859-96
& CPSC FF -170



**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356

DOMINO CHECKS



643 - WOOD CHECKS



655 - BLUE GREY



679 - CHESS BOARD



3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)

WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above

[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

- LEBAR : 3.66 METER (12 FT)
- BACKING : WOVEN POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 10 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : CAMIFIN CABLED
POLYPROPYLENE BCF
- CONSTRUCTION : 1/12" MULTI LEVEL SCROLL
- CARPET WEIGHT : 2000 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2




Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356

DOMINO DICE



649 - CABINE GREY



648 - ECLIPSE



626 - RED DAHLIA

3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)

WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

- LEBAR : 3.66 METER (12 FT)
- BACKING : WOVEN POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 10 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : CAMIFIN CABLED
POLYPROPYLENE BCF
- CONSTRUCTION : 1/12" MULTI LEVEL SCROLL
- CARPET WEIGHT : 2000 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170



Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E




Electrical Behaviour
EN 14041, EN 1815
EN 6356

MEMPHIS



676 - CHESTNUT OAK



677 - BLACK BEAUTY



628 - HEERA MAROON



**3D MULTI LEVEL
LATEST CARPET
(HEAVY DUTY)**

WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above



KLASIFIKASI PRODUK

- LEBAR : 3.66 METER (12 FT)
- BACKING : WOVEN POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 10 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : CAMIFIN CABLED
POLYPROPYLENE BCF
- CONSTRUCTION : 1/12"MULTI LEVEL SCROLL
- CARPET WEIGHT : 2000 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability
ASTM D-2859-96
& CPSC FF -170



**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2




**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356


MIRRAGE



676 - GREY HERMES



647 - HURRICANE



628 - CHERRYWOOD



3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)

WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above



KLASIFIKASI PRODUK

- LEBAR : 3.66 METER (12 FT)
- BACKING : WOVEN POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 10 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : CAMIFIN CABLED
POLYPROPYLENE BCF
- CONSTRUCTION : 1/12" MULTI LEVEL SCROLL
- CARPET WEIGHT : 2000 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170



Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356

PALLADIO



677 - PIXEL GREY



676 - SPANISH LATTE



672 - RED POMPEI

NEON

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above


[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
MACHINE GAUGE	: 1 / 10"
KETEBALAN	: 7 - 9 MM
KESESUAIAN	: COMMERCIAL
FIBRE	: 100% BCF POLYPROPYLENE
CONSTRUCTION	: TEXTURE GRAPHIC LOOP
CARPET WEIGHT	: 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability
ASTM D-2859-96
& CPSC FF -170



Staining Resistance
AATCC 175-1993




Abrasion Resistance
EN 13329, EN 660-1
EN 660-2




Light Fastness
AATCC 16E




Electrical Behaviour
EN 14041, EN 1815
EN 6356



NEON-01



NEON-02



NEON-03



NEON

SERIES

[CLICK HERE TO WATCH VIDEO](#)



NEON-01



NEON-02



NEON-03

SPLENDOR

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: ACTION BACKING
GAUGE	: 1/10"
KETEBALAN	: 4-6 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF DURALAX OLEFIN
CONSTRUCTION	: LOOP PILE GRAPHIC
CARPET WEIGHT	: ca.45 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215




Flammability
ASTM D-2859-96
& CPSC FF -170



Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356




SP001



SP002



SP003



SP004



SP005



SP006



SP007



SP008



SPLENDOR

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



SP001



SP002



SP003




SP004



SPLENDOR

SERIES

[CLICK HERE TO WATCH VIDEO](#)



SP005



SP006



SP007



SP008

MAGENTA

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above



KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : ACTION BACKING
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 5-7 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : STRUDON POLYPROPYLENE BCF
- CONSTRUCTION : HI-LOW GRAPHIC
- CARPET WEIGHT : 750 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN1307, EN1407, EN13297
EN1963, PR EN15114, EN14215



Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



MM 211 BROWN



MM 222 BEIGE LINE



MM 255 GREY



MM 233 OLIVE GREEN



MM 244 BLUE LINE





MAGENTA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



MM 211 BROWN



MM 222 BEIGE LINE



MAGENTA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



MM 255 GREY



MAGENTA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



MM 233 OLIVE GREEN



MM 244 BLUE LINE

HAMMER

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above



KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : WOVEN POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 4 - 6 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : CAMIFIN CABLED
POLYPROPYLENE BCF
- CONSTRUCTION : 1/12"MULTI LEVEL SCROLL
- CARPET WEIGHT : 700 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



HM.222 NATURAL WICKER



HM.777 CHOCOLATE FONDANT



HM.555 CHIC SHADOW



HM.444 WILD MIST





HAMMIMER

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



HM.222 NATURAL WICKER




HM.777 CHOCOLATE FONDANT



HAMMIEER

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



QUALITY



HAMMER

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



HM.555 CHIC SHADOW



HM.444 WILD MIST

ATRIUM

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above




KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: NON WOVEN COLBOND
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 4-6 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN POLYPROPYLENE BCF
CONSTRUCTION	: 1/12"MULTI LEVEL SCROLL
CARPET WEIGHT	: 700 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability
ASTM D-2859-96
& CPSC FF -170



**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



A1 984 MAGNET BLUE



A1 985 SMOKEY GREY



A1 986 MAGIC RED



A1 987 DAZZLING BROWN



ATRIUM

SERIES



A1 984 MAGNET BLUE



A1 985 SMOKEY GREY



ATRIUM

[CLICK HERE TO WATCH VIDEO](#)

SERIES



QUALITY



ATRIUM

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



A1 986 MAGIC RED



A1 987 DAZZLING BROWN

CRISS CROSS

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above


[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : WOVEN POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 4-6 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : CAMIFIN CABLED
POLYPROPYLENE BCF
- CONSTRUCTION : 1/12" MULTI LEVEL SCROLL
- CARPET WEIGHT : 700 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215




Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



CK. 602



CK. 603



CK. 608



CK. 604



CK. 607






CRISS CROSS

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



CK. 602




CK. 603



CRISS CROSS

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



CK. 608




CRISS CROSS

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



CK. 604



CK. 607

CAPRICE

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: NON WOVEN LUTRADOR
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 4-6 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: STRUDON POLYPROPYLENE BCF
CONSTRUCTION	: TIP SHEAR GRAPHIC LOOP
CARPET WEIGHT	: 800 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170



**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



C.2 224 BLUE



C.2 225 GREY



C.2 226 RED



C.2 227 BROWN



C.2 222 BEIGE



CAPRICE

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



C.2 224 BLUE




C.2 225 GREY



CAPRICE

SERIES

 [CLICK HERE
TO WATCH VIDEO](#)



C.2 226 RED



CAPRICE

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



C.2 227 BROWN



C.2 222 BEIGE

SPRING 2.0

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above




KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: NON WOVEN COLBOND
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 3-6 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: STRUDON POLYPROPYLENE BCF
CONSTRUCTION	: HI-LOW GRAPHIC
CARPET WEIGHT	: 850 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170



**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



IS 882 WINDSOR BLUE



IS 886 BRUNO BROWN



IS 884 CRONAN BROWN



IS 888 SUN DANCE



IS 889 EBONY BLACK



SPRING 2.0

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



IS 886 BRUNO BROWN



IS 882 WINDSOR BLUE



SPRING 2.0

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



IS 884 CRONAN BROWN



SPRING 2.0

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



IS 888 SUN DANCE



IS 889 EBONY BLACK

LIFE

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above



KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : WOVEN POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 4-6 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : CAMIFIN CABLED
POLYPROPYLENE BCF
- CONSTRUCTION : 1/12" MULTI LEVEL SCROLL
- CARPET WEIGHT : 750 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



FH.502 BISQUE BEIGE



FH.504 DEEP BLUE



FH.508 MISTY PURPLE



FH.505 AZURE GREY



FH.507 DARK ORCHID





LIFE

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



FH.505 AZURE GREY




FH.507 DARK ORCHID



LIFE

SERIES

 [CLICK HERE
TO WATCH VIDEO](#)



FH.508 MISTY PURPLE



LIFE

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



FH.505 AZURE GREY



FH.507 DARK ORCHID

GARDEN

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.48 / sqft

HARGA SIAP PASANG

RM 3.48 / sqft

>500sqft & above


[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR : 4 M
BACKING : WOVEN POLYPROPYLENE
MACHINE GAUGE : 1 / 8"
KETEBALAN : 10 - 12 MM
KESESUAIAN : DOMESTIC / COMMERCIAL
FIBRE : 100% BCF POLYPROPYLENE
CONSTRUCTION : CUT LOOP TUFTED
CARPET WEIGHT : 30 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



268 - GOLD



261 - IVORY



266 - KHAKHI



2611 - BROWN




GARDEN

SERIES


[CLICK HERE
TO WATCH VIDEO](#)



261 - IVORY



268 - GOLD



2611 - BROWN



266 - KHAKHI

EMOTION

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.48 / sqft

HARGA SIAP PASANG

RM 3.48 / sqft

>500sqft & above



KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : WOVEN POLYPROPYLENE
- MACHINE GAUGE : 1 / 8"
- KETEBALAN : 10 -12 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : 100% BCF POLYPROPYLENE
- CONSTRUCTION : CUT LOOP TUFTED
- CARPET WEIGHT : 30 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



251 - IVORY



256 - KHAKHI



258 - GOLD



2511 - BROWN





EMOTION

SERIES


[CLICK HERE
TO WATCH VIDEO](#)



251 - IVORY



258 - GOLD



2511 - BROWN



256 - KHAKHI

CIRCLES

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.48 / sqft

HARGA SIAP PASANG

RM 3.48 / sqft

>500sqft & above

[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR : 4 M
BACKING : WOVEN POLYPROPYLENE
MACHINE GAUGE : 1 / 8"
KETEBALAN : 10 - 12 MM
KESESUAIAN : DOMESTIC / COMMERCIAL
FIBRE : 100% BCF POLYPROPYLENE
DESIGN REPEAT : 40CM X 35CM
CONSTRUCTION : CUT LOOP TUFTED
CARPET WEIGHT : 30 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



211 - IVORY



212 - GOLD



213 - RED



216 - KHAKHI



CIRCLES

SERIES


[CLICK HERE TO WATCH VIDEO](#)



211 - IVORY



212 - GOLD



213 - RED



216 - KHAKHI

HOTEL

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.48 / sqft

HARGA SIAP PASANG

RM 3.48 / sqft

>500sqft & above


[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR : 4 M
BACKING : WOVEN POLYPROPYLENE
MACHINE GAUGE : 1 / 8"
KETEBALAN : 10 - 12 MM
KESESUAIAN : DOMESTIC / COMMERCIAL
FIBRE : 100% BCF POLYPROPYLENE
DESIGN REPEAT : 67CM X 76CM
CONSTRUCTION : CUT LOOP TUFTED
CARPET WEIGHT : 30 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



231 - IVORY



232 - GOLD



233 - RED



236 - KHAKHI



HOTEL

SERIES


[CLICK HERE
TO WATCH VIDEO](#)



231 - IVORY



232 - GOLD



233 - RED



236 - KHAKHI

LUXURY

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.68 / sqft

HARGA SIAP PASANG

RM 3.68 / sqft

>500sqft & above



KLASIFIKASI PRODUK

- LEBAR : 4 M
- BACKING : WOVE POLYPROPYLENE
- GAUGE : 1/8"
- KETEBALAN : 10 - 12 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : 100% BCF POLYPROPYLENE
- CONSTRUCTION : CUT PILE VIP CARPET
- CARPET WEIGHT : 30 OZ

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
 EN 1307, EN 1407, EN 13297
 EN 1963, PR EN 15114, EN 14215



Flammability
 ASTM D-2859-96
 & CPSC FF -170




Staining Resistance
 AATCC 175-1993



Abrasion Resistance
 EN 13329, EN 660-1
 EN 660-2



Light Fastness
 AATCC 16E



Electrical Behaviour
 EN 14041, EN 1815
 EN 6356



203 - SAND



210 - CHOCOLATE



200 - TOFFEE



206 - IVORY



208 - CAMEL



207 - NAVY



202 - GREY



205 - BLACK



209 - PURPLE



201 - RED

10 - 12 MM





LUXURY

SERIES

[CLICK HERE TO WATCH VIDEO](#)




203 - SAND



210 - CHOCOLATE



200 - TOFFEE



206 - IVORY



208 - CAMEL



207 - NAVY



202 - GREY



205 - BLACK



209 - PURPLE



201 - RED

COPPER HILL

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.68 / sqft

HARGA SIAP PASANG

RM 3.68 / sqft

>500sqft & above




KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVE POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 6 - 8 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: XENTRY TWISTED HEATSET FRAISE
CONSTRUCTION	: TWO TONE TWIN PLY CUT PILE HEATSET FRAISE
CARPET WEIGHT	: 750 Gr / M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



CX.104 PORCELAIN BEIGE



CX.128 COPPER HASE



CX.102 INCITE BLUE



CX.101 SAPPHIRE BLUE



CX.122 COAL MINE



CX.198 METRO BROWN



CX.141 MULBERRY RED



CX.142 CONQUEST RED

6-8 MM






COPPER HILL

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



CX. 128 COPPER HASE



CX.141 MULBERRY RED



CX.142 CONQUEST RED



COPPER HILL

SERIES

[CLICK HERE TO WATCH VIDEO](#)



CX. 104 PORCELAIN BEIGE



CX. 128 COPPER HASE



CX.102 INCITE BLUE



CX.101 SAPPHIRE BLUE



CX.122 COAL MINE



CX.198 METRO BROWN

FANTASIA

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.88 / sqft

HARGA SIAP PASANG

RM 3.88 / sqft

>500sqft & above


CLICK HERE TO WATCH VIDEO

KLASIFIKASI PRODUK

- LEBAR : 3.66 M
- BACKING : ACTION BACKING
- STITCH RATE : 40 PER 10CM
- KETEBALAN : 3 - 6 MM
- KESESUAIAN : COMMERCIAL
- FIBRE : 100% BCF SOLUTION
DYED SYNTHETIC
- CONSTRUCTION : 1/10" TUFTED LOOP PILE
GRAPHICS
- CARPET WEIGHT : 50 OZ

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170



Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356



601 - 3 IVORY SUITE



601 - 5 HARBOUR BEIGE



602 - 2 ATRIUM BEIGE



602 - 3 METRO BLUE



603 - 2 STAMFORD BEIGE



604 - 2 LUXURY BEIGE



604 - 3 BLUE COVE



607 - 8 REGENCY BEIGE



613 - 6 DAZZLING RED



614 - 6 ROSES RED



FANTASIA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



601 - 3 IVORY SUITE



FANTASIA

SERIES



601 - 5 HARBOUR BEIGE



FANTASIA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



602 - 2 ATRIUM BEIGE



FANTASIA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



602 - 3 METRO BLUE



FANTASIA

SERIES



603 - 2 STAMFORD BEIGE



FANTASIA

SERIES



604 - 2 LUXURY BEIGE



FANTASIA

SERIES



604 - 3 BLUE COVE



FANTASIA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



607 - 8 REGENCY BEIGE



FANTASIA

SERIES



613 - 6 DAZZLING RED



FANTASIA

SERIES



614 - 6 ROSES RED

ROYAL BLOOM

ULTRA SOFT LUXURY CARPET



HARGA DIRECT KILANG

RM 3.68 / sqft

HARGA SIAP PASANG

RM 4.68 / sqft

>500sqft & above

SPECIFICATIONS:

Quality Name	: ROYAL BLOOM
Construction	: Cut Pile
Yarn Pile	: 100% Polypropylene
Pile Weight	: 800 g (24oz)
Pile Height	: 10 mm
Primary Backing	: PP Backing
Secondary Backing	: Action Backing
Roll Size	: 4 m x 28m

SUITABLE FOR

- Residential
- Commercial
- Hospitality
- Hotel

ROYAL BLOOM

ULTRA SOFT LUXURY CARPET

[CLICK HERE
TO WATCH VIDEO](#)



201 - VANILLA CREAM



202 - DUTCH CREAM



203 - FLAXEN BROWN



204 - SEPIA BROWN



205 - FOSSIL GREY



206 - MAROON



208 - ROYAL BLUE



209 - PITCH BLACK



2010 - CHILLI RED



2011 - SILK CREAM



2012 - LATTE BEIGE




2016 - ASH GREY



ROYAL BLOOM

SERIES

[CLICK HERE TO WATCH VIDEO](#)



201 - VANILLA CREAM





ROYAL BLOOM

SERIES

[CLICK HERE TO WATCH VIDEO](#)



202 - DUTCH CREAM






ROYAL BLOOM

SERIES

[CLICK HERE TO WATCH VIDEO](#)



203 - FLAXEN BROWN



ROYAL BLOOM

SERIES

[CLICK HERE TO WATCH VIDEO](#)



10MM
TEBAL


204 - SEPIA BROWN



ROYAL BLOOM

SERIES

[CLICK HERE TO WATCH VIDEO](#)



205 - FOSSIL GREY





ROYAL BLOOM

SERIES

[CLICK HERE TO WATCH VIDEO](#)



206 - MAROON






ROYAL BLOOM

SERIES

[CLICK HERE TO WATCH VIDEO](#)




208 - ROYAL BLUE



ROYAL BLOOM

SERIES

[CLICK HERE TO WATCH VIDEO](#)



209 - PITCH BLACK



ROYAL BLOOM

SERIES

[CLICK HERE TO WATCH VIDEO](#)




2010 - CHILLI RED



ROYAL BLOOM

SERIES

[CLICK HERE TO WATCH VIDEO](#)



2011 - SILK CREAM



ROYAL BLOOM

SERIES

[CLICK HERE TO WATCH VIDEO](#)




2012 - LATTE BEIGE




ROYAL BLOOM

SERIES

[CLICK HERE TO WATCH VIDEO](#)



2016 - ASH GREY



MONACO



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 7.99 / sqft

HARGA SIAP PASANG

RM 8.99 / sqft

>500sqft & above



KLASIFIKASI PRODUK

- LEBAR : 4 METER
- BACKING : WOVEN POLYPROPYLENE
- DYE METHOD : SOLUTION DYED
- KETEBALAN : 13 MM
- KESESUAIAN : DOMESTIC / COMMERCIAL
- FIBRE : XENTRY TWISTED HEATSET FRAISE
- CONSTRUCTION : CUT PILE HEATSET FRAISE
- CARPET WEIGHT : 1700 Gr/M²

REVIEW FROM CARPET PRIMA CUSTOMER



M8 - 162 BEIGE



M8 - 168 GOLD



M8 - 167 BROWN



M8 - 163 GREEN



M8 - 161 LINT BLUE



M8 - 164 ROYAL BLUE



M8 - 165 GREY



M8 - 169 MAROON



M8 - 166 RED

CARPET PRIMA
SENTIASA TERMURAH

011- 1111 1116



MONACO

SERIES



M8 - 162 BEIGE



M8 - 168 GOLD



M8 - 167 BROWN



M8 - 163 GREEN



M8 - 161 LINT BLUE



M8 - 164 ROYAL BLUE




MONACO

SERIES



M8 - 166 RED



M8 - 165 GREY



M8 - 169 MAROON

VIP RUNNER

SPEC "JKR"

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.99 /sqft

[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR	: 3.66 METER (12 FT)
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 10 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN CABLED POLYPROPYLENE BCF
CONSTRUCTION	: CUT PILE PLAIN
CARPET WEIGHT	: 2000 Gr/M ²



687 - VIP RED

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170




Staining Resistance
AATCC 175-1993



Abrasion Resistance
EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour
EN 14041, EN 1815
EN 6356

JAHIT TURKEY
SUPER HEAVY DUTY



VIP RUNNER

SPEC “JKR”

WARRANTY PRIMA



**HARGA RUNNER
TERMASUK JAHIT
TURKEY SEMUA TEPI**

Panjang	3 kaki (lebar)	4 kaki (lebar)
10 kaki	RM141	RM175
20 kaki	RM271	RM335
30 kaki	RM401	RM494
40 kaki	RM530	RM654
50 kaki	RM660	RM814
60 kaki	RM790	RM973
70 kaki	RM920	RM1133
80 kaki	RM1049	RM1294
90 kaki	RM1179	RM1452
100 kaki	RM1309	RM1612



VIP RUNNER SPEC 'JKR'

SERIES



687 - VIP RED